

## CLAIMS

What is claimed is new and desired to be protected by Letters Patent is set forth in the appended claims:

1. A collapsible rocker chair comprising:
  - a) a back member having an top section and a base having first locking holes extending through said base at a first and second distal end thereof;
  - b) a seat member having second locking holes extending through said seat member;
  - c) first and second sideboards having a curvilinear base, each of said sideboards having a first slot extending from an edge thereof and a second slot positioned substantially perpendicular to said first slot; and

d) a first and second locking member each having a crescent shape, wherein said first distal end of said base is inserted through said second slot of said first sideboard and said second distal end of said base is inserted through said second slot in said second side board so that said first locking holes are positioned on an exterior side of each of said first and second sideboards, and said seat member is inserted into said first slot in each of said first and second sideboards thereby causing said second locking holes to be perpendicularly aligned with said first locking holes, wherein said first and second locking members are received through said first locking holes and further through said second locking holes thereby locking said back member and said seat member between each of said first and second sideboards.

2. The chair as recited in claim 1, wherein each of said sideboards has a curvilinear base.

3. The chair as recited in claim 2, wherein each of said sideboards include a plurality of tenons extending from an edge opposite said curvilinear base.

4. The chair as recited in claim 3, further comprising a first and second armrest each having a plurality of matise joints for receiving said plurality of tenons therein for removeably securing one of said first and second armrests to a respective one of said first and second sideboards.

5. The chair as recited in claim 4, wherein said first armrest is cutout of said first sideboard.

6. The chair as recited in claim 4, wherein said second armrest is cutout of said first sideboard.

7. The chair as recited in claim 1, wherein said first locking member is cutout of said first sideboard.

8. The chair as recited in claim 1, wherein said second locking member is cutout of said second sideboard.

9. The chair as recited in claim 1, wherein said top section of said back member is shaped substantially similar to an arrowhead.

10. The chair as recited in claim 1, wherein said seat member has an arc-shaped side.

11. The chair as recited in claim 10, wherein said arc-shaped side is inserted into said first slot in each of said first and second sideboard and upon complete insertion therein, is positioned adjacent to said back member.